FOLDABLE WIRE CONTAINER



Use as : Pallet / Bin / Rack

Welded mesh wire allows full visibility and excellent ventilation

4 way, easy entry for pallet trucks and stackers. 100mm under clearance

	THE OWNER OF TAXABLE PARTY.
	A DESCRIPTION OF THE REAL PROPERTY OF THE REAL PROP
	and Protonnia
AND DECOMPOSED	
	à d'

Specifications:

Model		Cap/Bin	No. of	Wire Dia.	Mesh Pitch	Overall Dimension
Name	Number	Kg	Levels	(mm)	(mm)	L x W x H (mm)
	A-3	640	4	6.0	50x50	800x600x640
	A-5	960	4	6.0	50x50	1000x800x840
Foldable	A-7	1200	4	6.0	50x50	1200x1000x890
Wire	B-7	1500	4	6.4	50x50	1200x1000x890
Container	S-7	960	4	6.4	50x100	1200x1000x890
	C-2	400	4	4.8	25x50	800x500x540


LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75 Website: www.lokpal.com | E-mail: info@lokpal.com

vw.let

ORDER PICKER OP+TT LIFT





Order Picker (OP Model)

Features

Useful in storage area. Can pass through narrow asile. Available in variable heights.

Specifications:

		Plat	tform	Work	table	Ма	ast	Overall	Overall	Platform	Worktable	Working
Model	Cap.	He	ight	He	ight	Hei	ght	Lenght	Width	Size	Size	Height
	Kg	Min.	Max.	Min.	Max.	Min.	Max.					
		(C)	(E)	(D)	(F)	(H)	(H1)	(A)	(B)	(L1xW1)	(L1xW1)	(G)
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
OP-05-16	500	325	1800	600	2100	2265	2265	1335	920	700x400	700x600	3500
OP-05-20	500	325	2200	600	2500	1765	2735	1335	920	700x400	700x600	3900
OP-05-25	500	325	2700	600	3000	2015	3035	1335	920	700x400	700x600	4400
OP-05-30	500	325	3200	600	3500	2265	3775	1335	920	700x400	700x600	4900
QLC4.5M	200	220	4280	440	4500	2100	6100			600x640	600x1170	5980

LOKPAL INDUSTRIES

ORDER PICKER LOW HT





Features

Compact size, can be easily moved through narrow asiles. Powered coated, CE-Stamped.

Specifications:							
Modle		WF 200					
Capacity	Kg	200					
(Including operator)							
Lowered table height	mm	670					
Raised table height	mm	1500					
Platform size	mm	600X550					
Power unit	W	DC 700					
Battery	V-Ah	12-60					
Net Weight	Kg	123					
Overall size	mm	1040X630X650					

LOKPAL INDUSTRIES

STACKABLE RACKS / STACKABLE FRAMES





Versatile space saving storage is what this rack is all about. The 4" under clearance allows for easy fork truck accessibility. Units can stack up to 20 feet high. Sturdy, welded construction gives these units an abundance of strength and stability.

Stacking racks stack 4-5 high and can be easily dissasembled or knocked down when not in use. Rather than dedicate substantial amounts of floor space to permanent rack systems, use portable stack racks to obtain maximum storage density and efficiency.

If your business has seasonal peaks and valleys, stacking racks can be easily disassembled and stored within a very small "footprint", thereby recapturing valuable floor space for other activities.

Portable stack racks can be used as a shipping racks. Advantages include saving on expensive cardboard boxes that can now be eliminated, increasing density in transit (freight savings) and collapsibility.

Stack racks help you greatly reduce costly dunnage. Shipping containers are typically able to be knocked down and returned to the point of origin for reuse.

Used for long-term or as temporary storage next to machining work stations.

Perfect for last-in, first out inventories. Just stack them against the wall as deep as you please.

Specifications:

Мо	Model		Inside Dimensions (mm)	Overall Dimensions (mm)	
	Number	(kg)	L x W x H	L x W x H	
Stackable Rack	Stack-1402	750	1300 x 850 x 1000	1400 x 900 x 1200	
	Stack-1312	750	1200 x1150 x 1000	1300 x1200 x 1200	

LOKPAL INDUSTRIES



Tyre storage in stack racks



Carton storage in stack racks



Can be put away in neat pile when not in use.

ISO 9001:2000 CERTIFIED

Mobile Shelving & Sloted Angle Racks



Storage System

Take advantage of our many years of experience to maximize your efficiency and profits with a material handling equipment system specially designed for your business and enhancement of your existing handling and storage facilities for optimum utilization of available resources. We will work with you to analyze your product flow and storage needs and develop a system that best suits your individual business. We provide total Solution from concept to installation.



LOKPAL INDUSTRIES

CANTILEVER & PALLET-RACKS





Pallet Racks



Storage System

Take advantage of our many years of experience to maximize your efficiency and profits with a material handling equipment system specially designed for your business and enhancement of your existing handling and storage facilities for optimum utilization of available resources. We will work with you to analyze your product flow and storage needs and develop a system that best suits your individual business. We provide total Solution from concept to installation.

Cantilever Racks

LOKPAL INDUSTRIES

DIE / MOULD RACK





Puh Pul Toley

Die and Mould racks are very convenient to use die / mould storage devices with a built in lifting and lowering chain hoist. The drawers are sturdy and can be pulled out and pushed back with the load.

In order to remove a die or mould from the rack simply put out the drawer on which the mould is placed. Pull the monorail trolley and the chain hoist above the mould. Attach the hook of the hoist to the mould. Lift the mould with the chain hoist about 2 inches above the drawer. Push back the drawer into the rack and lower the mould to the ground or to a pallet lying in front of the rack. The mould can now be moved to the machine with a pallet truck. Simple isn't it.

For loading the mould/die simply follow the reverse procedure.

Specifications:

MR-1000
1000kg
3100 x 840 x 2550mm
900 x 600mm
9 nos
380mm
1000kg
850kg
700kg
2000kg

LOKPAL INDUSTRIES

RACKS





Length L (mm) 915 900 900		pkpal.	12- Carton	
	Tools T20		Tools T44	

LOKPAL INDUSTRIES

Capacity

(kg)

150

100

100

Height H

(mm)

1780

1750

1800

Width

W

(mm)

466

300

400

Specifications:

Model

Name

Tool

Tool

Tool

Number


T 20

T 43

T 44

DOCK LEVELER





Specifications :									
Model	Capacity	Working I	Range						
	Kg	mm	mm	mm	mm	mm			
		В	С	Α		A1	A2		
HDL 6025	6000	2500	1850	595	400	310	275		
HDL 6030	6000	3000	1850	595	400	370	275		
HDL 9025	9000	2500	2100	595	400	310	275		
HDL 9030	9000	3000	2100	595	400	370	275		

LOKPAL INDUSTRIES

LOCKERS AND WALL CABINET





Model		Overall Dimensions
Number	Name	mm
TB001	Wall Cabinet	1200X200X600

1 1 1	4, 4, 4,
	1.1.1.
1 1 1	4.4.4

Specifications:							
Model	EU-606	EU-609	EU-612	EU-628			
Capacity(Kg)	40	40	40	40			
Dimension(mm)	880W*500D*1810H	880W*500D*1810H	880W*500D*1810H	1100W*350D*1800H			
Inner Size(mm)	295W*460D*860H	291W*460D*575H	291W*450D*525H	275W*320D*250H			
Packaging(mm)	530W*200D*1840H	530W*200D*1840H	530W*215D*1840H	380W*265D*1840H			
Accessories							
Lock	6	9	12	28			
Handle	6	9	12				
Cloth hanger	6						
Shelves	6						
Mirror	6						

Epoxy Powder Coated Lockers made of Cold rolled steel

LOKPAL INDUSTRIES

ROTARY FILE RACK





Specifications:							
		Load	Capacity				
r	Nodel	Total	Each Tier	Height			
Model	Description	Kg	Kg	mm			
SW-5	Rotary Filing	125	25	1930			
	Column						

LOKPAL INDUSTRIES

FILE CABINETS





FLXA4-115



Specifications:				
Model		No. of	Drawer	Overall
		Drawers	Size	Size
Model No.	Description		mm	mm
FLXA4H-108		8	240x322.5x69.7	277x350x692
FLXA4-115	File	10	240x322.5x31.2	277x350x846
FLXA4-212	Cabinet	8 & 4	240x322.5x31.2/69.7	553x350x384
FLXA4-230		20 & 10	240x322 5x31 2/69 7	595x385x892

LOKPAL INDUSTRIES

ALUMINUM LADDER





Extremely compact folding type Aluminum Ladders are featured with interlocks and rubber shoe at toe ends. Various combinations can be made with ease to use it in various positions. Light weight and portability make it easy to carry and store in minimum of space.



LOKPAL INDUSTRIES